

(BAIT STATION
LABEL (STICKER))

**MAXFORCE®
ANT CONTROL SYSTEM**

| | | |
|--------------|-----------|--------------------|
| GROUP | 20 | INSECTICIDE |
|--------------|-----------|--------------------|

Solution

COMMERCIAL

WARNING



POISON

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN.

- PLACE BAIT-STATIONS IN AREAS NOT ACCESSIBLE TO CHILDREN AND PETS.
- DISCARD USED CONTAINERS IN GARBAGE.

GUARANTEE: HYDRAMETHYLNON 1.0%

Warning, contains the allergen Fish meal.

Contains Sodium Salicylate at 0.1 % as a preservative.

REGISTRANT:

**BAYER CROPSCIENCE INC.*
SUITE 200
160 QUARRY PARK BLVD. S.E.
CALGARY, ALBERTA T2C 3G3
888-283-6847**

***BAYER ENVIRONMENTAL SCIENCE
A DIVISION OF BAYER CROPSCIENCE**

**REGISTRATION NO. 22839
PEST CONTROL PRODUCTS ACT**

NET CONTENTS: 1.5 g

Maxforce is a registered trademark of Bayer.

(Bag Label)

**MAXFORCE®
ANT CONTROL SYSTEM**

| | | |
|--------------|-----------|--------------------|
| GROUP | 20 | INSECTICIDE |
|--------------|-----------|--------------------|

Solution

COMMERCIAL

GUARANTEE:

HYDRAMETHYLNON 1.0%

Warning, contains the allergen Fish meal.

Contains Sodium Salicylate at 0.1 % as a preservative.

REGISTRATION NO. 22839
PEST CONTROL PRODUCTS ACT

WARNING



POISON

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN.

**PLACE BAIT STATIONS IN AREAS NOT ACCESSIBLE TO CHILDREN
AND PETS.**

DISPOSAL: WRAP USED CONTAINERS AND PLACE IN GARBAGE.

NET CONTENTS:

Registrant: Bayer CropScience Inc.*
Suite 200
160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3
888-283-6847

*Bayer Environmental Science
A Division of Bayer CropScience

DIRECTIONS FOR USE:

- 1) Place each bait station indoors immediately next to ant trails or close to areas where ants are numerous. Nests are usually located in dark, humid and warm areas close to a food source. For maximum effectiveness in pharaoh ant control, MAXFORCE Ant Control System should be placed in or near wall voids, electrical outlets (if wiring permits), potted plants, waste paper baskets, garbage cans and sinks. MAXFORCE Ant Control System can be placed in cabinets, next to food and dishes, near sensitive equipment or anywhere your ant problems occur.
- 2) For normal infestation, you should use 3 MAXFORCE Ant Control System bait stations in an average size room. For heavier infestations, you will need additional bait stations in each room. If infestation persists beyond two weeks, relocate bait stations or use additional bait stations.
- 3) The adhesive on the bottom of each bait can be used to attach MAXFORCE Ant Control System to vertical surfaces if desired. DO NOT apply to valuable surfaces (i.e. paint and wallpaper) that may peel.
- 4) Do not spray the bait stations with insecticide or any other contaminant. Avoid placing bait stations on freshly sprayed surfaces.
- 5) Increased ant activity may be seen near the bait station immediately after placement but you can expect to see less activity within one week. After placement, ant trails may be observed between the bait stations and the nests. For best results, do not interfere with the ants or the stations during their use because ants must carry the bait back to destroy the queen and the colony.
- 6) Replace all bait stations every 3 months for continuous control of ants. Caution should be taken to ensure bait stations are not placed in such a manner that they could be dislodged into sensitive areas (i.e. food processing equipment, packaging, aquaria, pet cages and areas frequented by small children).

RESISTANCE-MANAGEMENT RECOMMENDATIONS:

For resistance management, please note that MAXFORCE Ant Control System contains a Group 20 insecticide. Any insect population may contain individuals naturally resistant to MAXFORCE Ant Control System and other Group 20 insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same locations. Other resistance mechanisms that are not linked to site of action but are specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed. To delay insecticide resistance:

- Where possible, rotate the use of MAXFORCE Ant Control System or other Group 20 insecticides with different groups that control the same pests in the treated areas.
- Insecticide use should be based on an IPM program that includes scouting, record keeping, and considers cultural, biological and other chemical control practices.
- Monitor treated pest populations for resistance development.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area. For further information or to report

suspected resistance contact Bayer CropScience Inc. at 1-888-283-6847 or via the internet at www.bayercropscience.ca

PRECAUTIONS:

- KEEP OUT OF REACH OF CHILDREN. PLACE BAIT-STATIONS IN AREAS NOT ACCESSIBLE TO CHILDREN AND PETS.
- Avoid contamination of food and feed.
- Do not remove bait from stations.
- May be harmful if swallowed.

FIRST AID:

If bait station content is swallowed:

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL:

- Do not contaminate water through improper disposal.
- Discard used containers in garbage.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Maxforce is a registered trademark of Bayer.

MADE IN U.S.A.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.